planika

PREMIUM FIREPLACES

DESIGN
BEV TECHNOLOGY
ECOLOGY



2026

INDEX

INTRODUCTION

02 OUR STORY

04 CUSTOM FIREPLACES

INDOOR COLLECTION

06 AUTOMATIC BEV® FIREPLACES

44 ELECTRIC FIREPLACES

OUTDOOR COLLECTION

48 AUTOMATIC BEV® FIREPLACES

56 GAS FIREPLACES

74 COMMERCE® FIREPLACES

ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika


CUSTOM FIREPLACES

SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.

COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.





TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



CUSTOM FIREPLACES


SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.

AUTOMATIC

BEV® FIREPLACES

INDOOR COLLECTION


Fire Line Automatic
BEV® Burner
Design by **Porada**

BEV® TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



WITHOUT CHIMNEY

NO SMELL, NO SOOT, NO ASH

NO CONTACT BETWEEN FUEL AND FIRE

CONTROLLED BY MOBILE APP OR A REMOTE

AUTOMATIC REFUELLING

SAFETY SENSORS

REAL FIRE

EASY INSTALLATION

HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

Net Zero®

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO_2 - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?



- 96% ethanol concentration
- odourless and clean combustion
- plant-origin distillate
- particulate-free
- multi-distillated
- pharmaceutical quality
- natural, golden flame

HOW ARE PLANIKA'S BEV® FIREPLACES CO_2 NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO_2 – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.

WORK WITH PROFFESIONALS

TECHNICAL TRAININGS

ARCHITECT ZONE WITH 3D MODELS


PROJECT SUPPORT

INDOOR ETHANOL FIRES


AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO_2 sensor
- Top finish:

  -Black powder coating (standard)
  -Stainless steel (optional)
  -RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS

Arrangments that require frame with glass screens



SINGLE-**S**IDED | **L**EFT / **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **A**GAINST **T**HE **W**ALL



FREESTANDING | **R**OOM **D**IVIDER | **T**UNNEL | **I**SLAND

	FLA4 / FLA4+						
	590 mm	**790 mm**	**990 mm**	**1190 mm**	**1490 mm**	**1990 mm**	**2490 mm**
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	3.1 L / 9.6 L	4.3 L / 13.4 L	5.5 L / 17.2 L	6.8 L / 21.0 L	8.6 L / 26.8 L	11.7 L / 36.3 L	14.8 L / 45.9 L
	max. 5.0 h / 16.0 h	max. 8.0 h / 25.0 h	max. 8.0 h / 26.0 h	max. 9.0 h / 30.0 h	max. 9.0 h / 30.0 h	max. 10.0 h / 31.0 h	max. 10.0 h / 31.0 h
	min. 31 m^3	min. 44 m^3	min. 70 m^3	min. 94 m^3	min. 130 m^3	min. 180 m^3	min. 225 m^3
	19.9 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg
	230 V						



Fire Line Automatic
BEV® Burner



Fire Line Automatic
BEV® Burner
Design by **Iris**

FIRST OF ITS KIND
FIREPLACE ON A YACHT



Fire Line Automatic
BEV® Burner
Design by **Mondomarine**
Serenity yacht



Fire Line Automatic
BEV® Burner



Fire Line Automatic
BEV® Burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

FORMA FIREPLACE *(with FLA4 / FLA4+ burner)*



FEATURES

- FLA4/FLA4+ technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-SIDED | LEFT CORNER | RIGHT CORNER | THREE-SIDED | TUNNEL | ROOM DIVIDER | ISLAND

	FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER						
	BURNER **590 mm** FIREPLACE **800 mm**	BURNER **790 mm** FIREPLACE **1000 mm**	BURNER **990 mm** FIREPLACE **1200 mm**	BURNER **1190 mm** FIREPLACE **1500 mm**	BURNER **1490 mm** FIREPLACE **1800 mm**	BURNER **1990 mm** FIREPLACE **2300 mm**	BURNER **2490 mm** FIREPLACE **2700 mm**
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	FLA4 3.1 L **FLA4+** 9.6 L	**FLA4** 4.3 L **FLA4+** 13.4 L	**FLA4** 5.5 L **FLA4+** 17.2 L	**FLA4** 6.8 L **FLA4+** 21.0 L	**FLA4** 8.6 L **FLA4+** 26.8 L	**FLA4** 11.7 L **FLA4+** 36.3 L	**FLA4** 14.8 L **FLA4+** 45.9 L
	FLA4 max. 5.0 h **FLA4+** max. 16.0 h	**FLA4** max. 8.0 h **FLA4+** max. 25.0 h	**FLA4** max. 8.0 h **FLA4+** max. 26.0 h	**FLA4** max. 9.0 h **FLA4+** max. 30.0 h	**FLA4** max. 9.0 h **FLA4+** max. 30.0 h	**FLA4** max. 10.0 h **FLA4+** max. 31.0 h	**FLA4** max. 10.0 h **FLA4+** max. 31.0 h
	min. 31 m^3	min. 44 m^3	min. 70 m^3	min. 94 m^3	min. 130 m^3	min. 180 m^3	min. 225 m^3
	230 V						



FLA Forma
BEV® Fireplace



Fire Line Automatic
Park Hyatt Auckland
Conran&Partners



Fire Line Automatic
BEV® Burner
Design by **Azovskiy + Pahamova**




Fire Line Automatic
BEV® burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

PRIME FIRE 2.0 BURNER




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile
- CO_2 sensor

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS

Arrangments that require frame with glass screens



SINGLE-**S**IDED | **L**EFT / **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **A**GAINST **T**HE **W**ALL



FREESTANDING | **R**OOM **D**IVIDER | **T**UNNEL | **I**SLAND

	PRIME FIRE			
	590 mm	**790 mm**	**990 mm**	**1190 mm**
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	6.8 L
	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h
	min. 31 m^3	min. 44 m^3	min. 70 m^3	min. 94 m^3
	19.9 kg	24.1 kg	27.5 kg	33.0 kg
	230 V			



Prime Fire 2.0
BEV® Burner



Prime Fire 2.0
BEV® Burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

FORMA FIREPLACE *(with Prime Fire 2.0 burner)*



FEATURES

- Prime Fire 2.0 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **T**UNNEL | **R**OOM **D**IVIDER | **I**SLAND

	FIREPLACE WITH PRIME FIRE 2.0 BURNER			
	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	6.8 L
	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h
	min. 31 m^3	min. 44 m^3	min. 70 m^3	min. 94 m^3
	230 V			



Prime Fire 2.0 Forma
BEV® Fireplace



Prime Fire 2.0 Forma
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

FLA4 FLOGS



FEATURES

- Included burning logs set
- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Smart Home System compatible
- CO_2 sensor

OPTIONAL ACCESSORIES

- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-**S**IDED | **L**EFT / **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **A**GAINST **T**HE **W**ALL

	FLA4 FLOGS / FLA4 FLOGS+ BURNER	
	790 mm	**990 mm**
	max. 6.9 kW	max. 6.9 kW
	FLA4 Flogs 4.3 L **FLA4 Flogs+** 13.4 L	**FLA4 Flogs** 5.5 L **FLA4 Flogs+** 17.2 L
	FLA4 Flogs max. 7.0 h **FLA4 Flogs+** max. 25.0 h	**FLA4 Flogs** max. 8.0 h **FLA4 Flogs+** max. 27.0 h
	min. 69 m^3	min. 69 m^3
	FLA4 Flogs 24.0 kg **FLA4 Flogs+** 28.9 kg	**FLA4 Flogs** 27.5 kg **FLA4 Flogs+**38.5 kg
	230 V	



FLA4 Flogs
BEV® Burner



FLA4 Flogs
BEV® Burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

FLA4 FLOGS BOX



FEATURES

- FLA4 Flogs Burner technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 arrangement options
- Easy installation
- High glass panels
- Variant with flue connection

FLUE CONNECTION OPTIONS

- Ventless (no flue connection required)
- Flue connection
- In-room vent



VENTLESS FLUE CONNECTION IN-ROOM VENT

ARRANGEMENT OPTIONS



SINGLE-SIDED LEFT / RIGHT CORNER THREE-SIDED THREE-SIDED

	FLA4 FLOGS / FLA4 FLOGS+ BOX	
	BURNER 800 mm **INSERT 790 mm**	**BURNER 1000 mm** **INSERT 990 mm**
	max. 6.9 kW	max. 6.9 kW
	FLA4 Flogs 4.3 L **FLA4 Flogs+** 13.4 L	**FLA4 Flogs** 5.5 L **FLA4 Flogs+** 17.2 L
	FLA4 Flogs max. 7.0 h **FLA4 Flogs+** max. 25.0 h	**FLA4 Flogs** max. 8.0 h **FLA4 Flogs+** max. 27.0 h
	min. 69 m^3	min. 69 m^3
	230 V	



FLA4 Flogs Box
BEV® Fireplace



FLA4 Flogs Box
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

CINEMA



FEATURES

- Linear or campfire burner
- Automatic refilling system
- Up to 6 levels of flame (*depends on the burner*)
- Safety sensors
- Remote control
- Wi-fi and mobile app
- Smart home system compatible (*depends on the burner*)
- Dedicated for 55" TV (*not included*)

BURNER OPTIONS

- FLA4/ FLA4+
- FLA Flogs/ FLA Flogs+
- Prime Fire



FLA4 FLOGS



PRIME FIRE **2.0**

	CINEMA FLA4 / FLA4 FLOGS	CINEMA FLA4+/FLA4 FLOGS+	CINEMA PRIME FIRE 2.0
	FLA4 990 **FLA4 Flogs+ 990**	**FLA4+990** **FLA4 Flogs+ 990**	**Prime Fire 2.0**
	max. 6.9 kW	max. 6.9 kW	max. 6.9 kW
	5.5 L / 16.2 L	5.5 L / 16.2 L	5.5 L
	max. 8.0 h / 27.0 h	max. 27.0 h	max. 8.0 h
	min. 69 m^3	min. 69 m^3	min. 69 m^3
	150.0 / 161.0 kg	148.0 / 154.0 kg	150.0 / 161.0 kg



Cinema FLA4 Flogs
BEV® Fireplace




Cinema FLA4
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

NEO BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO_2 sensor
- Tray with decorative logs and glowing fibers

NEO FIREPLACE



FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO_2 sensor
- Tray with decorative logs and glowing fibers

DETACHABLE SIDE PANELS



	NEO BURNER 500 / 750 / 1000	NEO FIREPLACE 500 / 750 / 1000
	3.1 / 4.1 / 5.9 kW	3.1 / 4.1 / 5.9 kW
	1.7 / 2.1 / 2.9 L	1.7 / 2.1 / 2.9 L
	5 / 6 / 4 h	5 / 6 / 4 h
	min. 31 / 41 / 59 m³	min. 31 / 41 / 59 m³
	230 V	



Neo
BEV® Burner




Neo Fireplace
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

PANORAMA FIREPLACE



FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO_2 sensor
- Finish: black powder coating
- Smart Home System compatible

OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **T**UNNEL | **R**OOM **D**IVIDER | **I**SLAND

	PANORAMA
	BURNER 990 mm
	max. 7.0 kW
	5.5 L
	max. 10.0 h
	min. 70 m³
	230 V



Panorama RD
BEV® Fireplace



Panorama TS
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

COMET BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO_2 sensor
- Top finish: black powder coating
- Smart Home System compatibile

OPTIONAL ACCESSORIES

- Smart Home System module

NEST *(with Comet burner)*



	COMET BURNER / NEST
	max. 10.9 kW
	9 L
	max. 11 h
	min. 109 m³
	230 V



Comet
BEV® Burner



Nest
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

PILLAR



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO_2 sensor
- Top finish: black powder coating
- Smart Home System compatibile
- Custom Pillar housing

OPTIONAL ACCESSORIES

- Smart Home System module

	PILLAR
	max. 10.9 kW
	9 L
	max. 11 h
	min. 109 m³
	230 V



Pillar
BEV® Fireplace




Pillar
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

ONI FLOGS



FEATURES

- FLA4 Flogs Burner technical features
- Included burning logs set
- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Smart Home System compatible
- CO_2 sensor

CONNECTION OPTION

- Flue connection
- In-room vent



FLUE CONNECTION

IN-ROOM CONNECTION

	ONI FLOGS (FLUE CONNECTION)	ONI FLOGS (IN-ROOM VENT)
	max. 6.9 kW	
	5.5 L	
	max. 8.0 h	
	min. 69 m³	
	144.3 kg	145.3 kg



Oni Flogs
BEV® Fireplace



Oni Flogs
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

ROCK CORE



FEATURES

- Easy refilling - replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- CO_2 sensor

OPTIONAL ACCESSORIES

- Decorative ceramic logs and glowing fibers

AVAILABLE FINISHING VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre
- Rock Core for custom-built housing

ROCK KRETA / LAURENT / NACRE



ROCK CORE / KRETA / LAURENT / NACRE
max. 3.5 kW
5 L
max. 20 h
min. 35 m³
230 V



Rock Kreta
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

POLARIS



FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO_2 sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

SCANDI



FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- CO_2 sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

	POLARIS	SCANDI
	max. 4 kW	max. 3.5 kW
	5.0 L	5.0 L
	max. 20 h	max. 33 h
	min. 35 m³	min. 35 m³
	36.5 kg	62.0 kg
	230 V	



Polaris
BEV® Fireplace



Scandi
BEV® Fireplace
@architekt_mo_home

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

BASKET FIRE LOGS



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO_2 sensor
- Tray with decorative logs and glowing fibers

OPTIONAL ACCESSORIES

- Decorative grate

	BASKET FIRE LOGS
	max. 2.8 kW
	1.75 L
	max. 6.5 h
	min. 28 m³
	230 V


Basket Fire Logs
BEV® Fireplace


Basket Fire Logs
BEV® Fireplace


ELECTRIC
FIREPLACES

INDOOR COLLECTION

Astro
Eletric Fireplace

INDOOR ELECTRIC FIRES

ASTRO FIREPLACE



FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer

OPTIONAL ACCESSORIES




DETACHABLE SIDE PANELS (INCLUDED IN SET)



SINGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED

INSTALLATION OPTIONS



RECESSED | PARTLY-RECESSED | WALL-MOUNTED | FREESTANDING

	ASTRO			
	850 mm	**1200 mm**	**1500 mm**	**1800 mm**
	42.0 kg	59.0 kg	72.5 kg	85.0 kg
	Two-stage heating power: 1500 W & 3000 W			
	230 V			



Astro
Electric Fireplace



Astro
Electric Fireplace

AUTOMATIC

BEV® FIREPLACES

OUTDOOR COLLECTION




OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

CABO BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

CABO TABLE KRETA / LAURENT / NACRE



AVAILABLE VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

	CABO BURNER / CABO TABLE
	max. 9.4 kW
	10.5 L
	max. 15 h
	min. 94 m³ (if used indoors)
	230 V



Cabo Burner
BEV® Outdoor Fireplace



Cabo Table Nacre
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

COMET OUTDOOR



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO_2 sensor
- Top finish: black powder coating
- Smart Home System compatibile

OPTIONAL ACCESSORIES

- Smart Home System module

COMET TABLE KRETA / LAURENT / NACRE

AVAILABLE VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre



COMET OUTDOOR / COMET TABLE
max. 10.6 kW
16.7 L
max. 22 h
min. 106 m³
230 V



Comet Outdoor
BEV® Burner



Comet Table Nacre
BEV® Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

PORTO CORE




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

OPTIONAL ACCESSORIES

- Protective fabric cover

PORTO KRETA / LAURENT / NACRE



FEATURES

- Porto core technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

OPTIONAL ACCESSORIES

- Protective fabric cover

	PORTO CORE / KRETA / LAURENT / NACRE
	max. 3.7 kW
	5 L
	max. 14 h
	min. 37 m³ (if used indoors)
	230 V



Porto Nacre
BEV® Fireplace



Porto Laurent
BEV® Outdoor Fireplace


GAS
FIREPLACES
OUTDOOR COLLECTION

Galio Star Black
Gas outdoor fires

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*


GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY NACRE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / KRETA / LAURENT / NACRE	GALAXY 2000 BURNER
	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



Galaxy Laurent
Outdoor Gas Fireplace



Galaxy Nacre
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALAXY TABLE KRETA / LAURENT / NACRE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or
  Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with DEKTON®
  by Cosentino: Kreta/Laurent/Nacre

OPTIONAL ACCESSORIES



	GALAXY TABLE KRETA / LAURENT / NARCE
	(NG) max. 10.1kW (LPG) max. 13.4kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h
	(NG) 20 mbar (LPG) 37 mbar



Galaxy Table Nacre
Outdoor Gas Fireplace




Galaxy Table Kreta
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO BURNER AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or
  Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO BURNER AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
	1000 mm	**2000 mm**	**1140 mm**
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 16.5 kW (LPG) max. 16.5 kW	(NG) max. 9.4 kW (LPG) max. 11.8 kW
GAS	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.75 m³/h (LPG) max. 1.30 kg/h	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	21.0 kg	33.0 kg	31.0 kg



Galio
Outdoor Gas Burner




Galio
Outdoor Gas Burner

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL
	(NG) max. 13.6 kW (LPG) max. 11.8 kW
GAS	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar
	13.0 kg / 31.0 kg



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALIO STAR BURNER AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install


GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel

OPTIONAL ACCESSORIES



	GALIO STAR BURNER AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
	(NG) max. 16.4 kW (LPG) max. 17.3 kW	
GAS	(NG) max. 1.5 m^3/h (LPG) max. 1.4 kg/h	
	(NG) 20 mbar (LPG) 37 mbar	
	17.0 kg	37.0 kg





OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

STELLA BURNER AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane)
  or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- For custom-built housing

STELLA TABLE KRETA/LAURENT/NACRE AUTOMATIC



FEATURES

- Stella insert automatic technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

OPTIONAL ACCESSORIES



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC
	500 mm	600 mm	800 mm	941 mm
	(NG) max. 5.6 kW (LPG) max. 5.1 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW
GAS	(NG) max. 0.5 m^3/h (LPG) max. 0.4 kg/h	(NG) max. 0.71 m^3/h (LPG) max. 0.98 kg/h	(NG) max. 1.47 m^3/h (LPG) max. 1.35 kg/h	(NG) max. 0.71 m^3/h (LPG) max. 0.98 kg/h
	(NG) 20 mbar (LPG) 37 mbar			



Stella Burner
Outdoor Gas Fireplace



Stella Table Nacre
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*


GALIO H INSERT AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

MICO AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane)
  or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC	MICO AUTOMATIC		
	600 mm	**500 mm**	**600 mm**	**800 mm**
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 5.6 kW (LPG) max. 5.1 kW	(NG) max. 7.9 kW (LPG) max. 12.6 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
	(NG) max. 1.0 m^3/h (LPG) max. 0.9 kg/h	(NG) max. 0.5 m^3/h (LPG) max. 0.4 kg/h	(NG) max. 0.71 m^3/h (LPG) max. 0.98 kg/h	(NG) max. 1.47 m^3/h (LPG) max. 1.35 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar		



Galio H Insert Automatic
Outdoor Gas Burner



Mico Insert
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*

LIGHTHOUSE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	LIGHTHOUSE
	(LPG) max. 7.0 - 10.0 kW
GAS	(LPG) max. 0.50 - 0.65 kg/h
	(LPG) 37 mbar
	27.5 kg



Lighthouse
Gas Patio Heater

COMMERCE
FIREPLACES
OUTDOOR COLLECTION


Jar Commerce

OUTDOOR / INDOOR ETHANOL FIRES

COMMERCE TECHNOLOGY™ *(Absorbent Ceramic Fibers)*



JAR



RONDO



SIMPLE

FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

OPTIONAL ACCESSORIES



	JAR	RONDO	SIMPLE
	[ØxH] 410 x 795 mm	**[ØxH] 412 x 412 mm**	**[ØxH] 308 x 418 mm**
	41.5 kg	7.0kg	6.5 kg
	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
	3.0 L	3.0 L	1.5 L
	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2026, Planika Sp. z o.o. All rights reserved. **www.planika.com**

planika

PLANIKA
planika@planika.com
www.planika.com

facebook.com/planikafire
instagram.com/planikafires
youtube.com/planikafires

pinterest.com/planika
linkedin.com/in/planika

© Planika Sp. z o.o. | v. 28082026